

slabs

GENERAL CATALOGUE 2020

APAVISA

No limits to space.
No limits to design.

Alphabetical

Agata Blue	166
Amethyst purple	90
Borghini	124
Calacatta Lincoln	160
Elegance	134
Equinox	198
Fluid	10
Ice Jade	70
Instinto	170
Junoon	244
Ocean Blue	98
Orobico Red	80
Pietra grey	220
Statuario	144
St. Vincent	234
Super White	262
Super Black	266
Tattoo	50
Washbasins	270
Wild Forest	108
Zinc	24

Technical information

Technical information	271
-----------------------	-----



Resin
Resina

Fluid


10



Metal
Metal

Zinc
Tattoo

24
50



Marble
Mármol

Ice Jade
Orobico Red
Amethyst purple
Ocean Blue
Wild Forest
Borghini
Elegance
Statuario
Calacatta Lincoln
Agata Blue


70
80
90
98
108
124
134
144
160
166



Concrete
Cemento

Instinto
Equinox

170
198



Stone
Piedra

Pietra Grey
St. Vincent

220
234



Wood
Madera

Junoon

244



Monocolor
Monocolor

Super White
Super Black

262
266



Linetop
Encimera

Tattoo Oxidum Decor	58
Statuario Extra White Bookmatch	150
Calacatta Lincoln Natural	162
Calacatta Lincoln Polished	164
Agata Blue	168
Equinox Grey Natural	214
Pietra Grey Natural	230
Pietra Grey Polished	232
St. Vincent Anthracite	242
Super White	264
Super Black Natural	268
Washbasins	270

Aplicacion Aplicaciones



Floor & wall
Revestimiento & pavimento

Fluid	10
Zinc	24
Ice Jade	70
Orobico Red	80
Amethyst Purple	90
Tattoo	50
Instinto	170
Equinox	198
Ocean Blue	98
Wild Forest	108
Borghini	124
Elegance	134
Statuario	144
Pietra Grey	220
St. Vincent	234
Junoon	244



Only wall
Sólo revestimiento

Tattoo Oxidum Graffiti Decor	56
Statuario White Polished Prism Decor	156
Instinto Taupe Rescato	176
Instinto White Rescato	188
Instinto White Autumn Decor	190
Instinto Natural Mosaico Brick	194
Equinox Anthracite Stripes Decor	204
Equinox Anthracite Diamond Decor	206
Pietra Grey Polished Leaves Decor	228










Outdoor
Exterior

Zinc Green Solid 2 cm	32
Tattoo Black Solid 2cm 50x100	64
Orobico Red Solid	88
Instinto Taupe Solid 2cm 50x100	80
Equinox Grey Solid 50x100	212
St. Vincent Anthracite Solid 50x100	240
Junoon Beige Solid 50x100	250
Junoon Maple Solid 50x100	256

Sizes

Formatos

Linetop 12 mm		Floor & Walls 6 mm		Floor & Walls 6 mm		Floor & Walls 7 mm					Non-slip 7 mm		Outdoor 20 mm			
																
162x324 162 x 324 cm 63.8" x 127.6"		160x320 160 x 320 cm 62.99" x 125.98"		160x160 160x 160 cm 62.99" x 62.99"	80x160 80 x 160 cm 31.49" x 62.99"	120x260 119,3 x 260,0 cm 46.97" x 102.4"	60x260 59,55 x 260,0 cm 23.45" x 102.4"	30x260 29,75x260,0 cm 11,81"x102.4"	120x120 119,3x119,3 cm 46.97"x46.97"	60x120 59,55x119,3cm 23.45"x46.97"	90x90 89,46x89,46cm 35.22"x35.22"	45x90 44,63x89,46 cm 17.57"x35.22"	60x60 59,55x59,55 cm 23.45"x23.45"	30x60 29,75x59,55 cm 11.71"x23.45"	30x60 29,75x59,55 cm 11.71"x23.45"	50x100 49,75x99,55 cm 19.59"x39.19"

Finishes

Polished	Lappato	Satin	Natural	Rescato	Art Decors
					

Fluid

Floor & Walls
Polished 6 mm

Polished & Natural 7 mm

120x260
119,3 x 260,0 cm
46.97" x 102.4"

120x120
119,3 x 119,3 cm
46.97" x 46.97"

90x90
89,46 x 89,46 cm
35.22" x 35.22"

60x60
59,55x59,55 cm
23.45"x23.45"

Fluid

Fluid
Multicolor
Natural
&
Polished

Fluid
Black
Natural
&
Polished

Fluid Multicolor Polished / Natural




Floor and Walls 6 mm		
Fluid Multicolor Polished	120x260	G-3467
Fluid Multicolor Polished	120x120	G-3467
Floor and Walls 7 mm		
Fluid Multicolor Polished	90x90	G-1442
Fluid Multicolor Polished	60x60	G-1298
Fluid Multicolor Natural	90x90	G-1352








Fluid Black Polished / Natural



Floor and Walls 6 mm	
Fluid Black Polished 120x260	G-3467
Fluid Black Polished 120x120	G-3467
Floor and Walls 7 mm	
Fluid Black Polished 90x90	G-1442
Fluid Black Polished 60x60	G-1298
Fluid Black Natural 90x90	G-1352







Zinc

Floor & Walls
Natural 6mm


Natural & Skin 7mm

Outdoor
20mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"

G-3413



120x120
119,3 x 119,3 cm
46.97" x 46.97"

G-3413




60x120
59,55 x 119,3 cm
23.45" x 46.97"

G-1372



60x120
59,55 x 119,3 cm
23.45" x 46.97"

G-1372



60x60
59,55 x 59,55 cm
23.45" x 23.45"

G-1234



30x60
29,75 x 59,55 cm
11.71" x 23.45"

G-1202



50x100
49,75 x 99,55 cm
19.59" x 39.19"

G-1258

2 cm


Zinc

Zinc
Green
Natural
&
Skin

Zinc
Black
Natural
&
Skin

Zinc
Cooper
Natural
&
Skin

Zinc Green



Floor and Walls 6 mm		
Zinc Green Natural	120x260	G-3413
Zinc Green Natural	120x120	G-3413

Floor and Walls 7 mm		
Zinc Green Natural	60x120	G-1372
Zin Green Skin	60x120	G-1372
Zinc Green Natural	60x60	G-1234
Zinc Green Natural	30x60	G-1202

Outdoor 20 mm		
Zinc Green Solid	2cm	G-1258










SOLID
2 cm

Zinc Black



Floor and Walls 6 mm		
Zinc Black Natural	120x260	G-3413
Zinc Black Natural	120x120	G-3413
Floor and Walls 7 mm		
Zinc Black Natural	60x120	G-1372
Zin Black Skin	60x120	G-1372
Zinc Black Natural	60x60	G-1234
Zinc Black Natural	30x60	G-1202










Zinc Cooper



Floor and Walls 6 mm		
Zinc Cooper Natural	120x260	G-3413
Zinc Cooper Natural	120x120	G-3413
Floor and Walls 7 mm		
Zinc Cooper Natural	60x120	G-1372
Zin Cooper Skin	60x120	G-1372
Zinc Cooper Natural	60x60	G-1234
Zinc Cooper Natural	30x60	G-1202









Tattoo

Linetops
Decor 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado

Floor & Walls
Decor & Natural 6 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59,55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"

Decor & Satin 7 mm




90x90
89,46 x 89,46 cm
35.22" x 35.22"



45x90
44,63 x 89,46 cm
17.57" x 35.22"



30x60
29,75 x 59,55 cm
11.71" x 23.45"



30x60
29,75 x 59,55 cm
11.71" x 23.45"



50x100
49,75 x 99,55 cm
19.59" x 39.19"

Non-slip

2 cm

Non-slip
7 mm

Outdoor
20 mm

Tattoo

Tattoo
Oxidum
Decor

Tattoo
White
Natural
&
Satin

Tattoo
Black
Decor

Tattoo Oxidum Decor



<u>Linetops 12 mm</u>		
Tattoo Oxidum Decor Linetops 162x324		G-3574
<u>Floor and Walls 6 mm</u>		
Tattoo Oxidum Decor 120x260		G-3413
Tattoo Oxidum Decor 60x260		G-3413
Tattoo Oxidum Decor 120x120		G-3413
<u>Floor and Walls 7 mm</u>		
Tattoo Oxidum Decor 90x90		G-1372
Tattoo Oxidum Decor 45x90		G-1250
Tattoo Oxidum Decor 30x60		G-1202
<u>Decor Walls 6 mm</u>		
Tattoo Oxidum Graffiti Decor 60x260		G-2928





Tattoo Oxidum
Graffiti Decor



Decor Walls 6 mm
Tattoo Oxidum Graffiti Decor 60X260 G-2928



Tattoo Black Decor



Floor and Walls 6 mm		
Tattoo Black Decor	120x260	G-3413
Tattoo Black Decor	60x260	G-3413
Tattoo Black Decor	120x120	G-3413
Floor and Walls 7 mm		
Tattoo Black Decor	90x90	G-1372
Tattoo Black Decor	45x90	G-1250
Tattoo Black Decor	30x60	G-1202
Non-Slip 7 mm		
Tattoo Black Non-Slip	30x60	G-1232
Solid 2 CM 20 mm		
Tattoo Black Solid 2 CM	50x100	G-1258







Tattoo White Natural / White Satin



Floor and Walls 6 mm		
Tattoo White Natural 120x260		G-3365
Tattoo White Natural 60x260		G-3365
Tattoo White Natural 120x120		G-3365
Floor and Walls 7 mm		
Tattoo White Satin 90x90		G-1372
Tattoo White Satin 45x90		G-1250
Tattoo White Satin 30x60		G-1202
Non-Slip 7 mm		
Tattoo White Non-Slip 30x60		G-1232






Ice Jade

Floor & walls
Polished 6mm

Polished & Natural 7 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"





60x120
59,55 x 119,3 cm
23.45" x 46.97"




60x60
59,55 x 59,55 cm
23.45" x 23.45"

Ice Jade

Ice Jade Green Polished Mix / Natural Mix



Floor and Walls 6 mm	
Ice Jade Green Polished Mix 120x260	G-3467
Ice Jade Green Polished Mix 120x120	G-3467
Floor and Walls 7 mm	
Ice Jade Green Polished 60x120	G-1442
Ice Jade Green Natural 60x120	G-1352
Ice Jade Green Polished 60x60	G-1298




Ice Jade Green Polished A + B



Block A



Block B



B A



A B



Bookmatch

Floor and Walls 6 mm	
Ice Jade Green Polished BL.A 120x260*	G-3495
Ice Jade Green Polished BL.B 120x260*	G-3495

*Ice Jade Polished Bookmatch 120x260 block A & block B not sold separately
Los bloques A y B 120x260 de Ice Jade Polished Bookmatch no se venden por separado.






Orobico

Floor & walls
Polished 6mm

Polished & Natural 7 mm

Outdoor
20mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"



60x120
59,55 x 119,3 cm
23.45" x 46.97"



60x60
59,55 x 59,55 cm
23.45" x 23.45"



50x100
49,75 x 99,55 cm
19.59" x 39.19"

2 cm

Orobico

Orobico Red Polished / Natural



Floor and Walls 6 mm		
Orobico Red Polished 120x260		G-3467
Orobico Red Polished 120x120		G-3467
Floor and Walls 7 mm		
Orobico Red Polished 60x120		G-1442
Orobico Red Natural 60x120		G-1352
Orobico Red Polished 60x60		G-1298
Orobico Red Polished Decor		G-1314
Outdoor 20mm		
Orobico Red Solid 2CM		G-1258









Amethyst

Polished & Natural 7 mm





60x120
59,55 x 119,3 cm
23.45" x 46.97"



60x60
59,55 x 59,55 cm
23.45" x 23.45"

Amethyst

Amethyst Purple Polished



Floor and Walls 7 mm	
Amethyst Purple Polished 60x120	G-1442
Amethyst Purple Polished 60x60	G-1298







Ocean Blue

Floor & walls
Polished 6mm



160x320
160 x 320 cm
62.99" x 125.98"



160x160
160 x 160 cm
62.99" x 62.99"




80x160
80 x 160 cm
31.49" x 62.99"



60x120
59.55 x 119.3 cm
23.45" x 46.97"



60x60
59.55 x 59.55 cm
23.45" x 23.45"



60x60
59.55 x 59.55 cm
23.45" x 23.45"

Polished 7 mm

Decor 7 mm

Ocean Blue

Ocean Blue Polished



Floor and Walls 6 mm		
Ocean Blue Polished 160x320		G-3495
Ocean Blue Polished 160x160		G-3495
Ocean Blue Polished 80x160		G-3495
Floor and Walls 7 mm		
Ocean Blue Polished 60x120		G-1442
Ocean Blue Polished 60x60		G-1298
Ocean Blue Decor Polished 60x60		G-1314







Ocean Blue Decor Polished




Floor And Walls 7 mm

Ocean Blue Decor Polished 60x60

G-1314

Decor 7 mm



60x60
59,55 x 59,55 cm
23.45" x 23.45"



Wild Forest

Floor & Walls
Natural & Polished 6 mm

Polished 7 mm

Decor 7 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59,55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"



60x120
59,55 x 119,3 cm
23.45" x 46.97"



60x60
59,55 x 59,55 cm
23.45" x 23.45"



60x60
59,55 x 59,55 cm
23.45" x 23.45"

Wild Forest

Wild Forest Grey Polished A + B + C



Floor and Walls 6 mm
Wild Forest Grey Polished A + B + C 120x260 G-3495





Block A



Block B



Block C

Wild Forest Grey Polished Mix / Natural Mix



Floor And Walls 6 mm	
Wild Forest Grey Polished Mix 120X260	G-3459
Wild Forest Grey Natural Mix 120X260	G-3397
Wild Forest Grey Polished Mix 60X260	G-3459
Wild Forest Grey Natural Mix 60X260	G-3397
Wild Forest Grey Polished Mix 120X120	G-3459
Wild Forest Grey Natural Mix 120X120	G-3397
Floor And Walls 7 mm	
Wild Forest Grey Polished 60X120	G-1442
Wild Forest Grey Polished 60X60	G-1298
Wild Forest Grey Decor Polished 60X60	G-1314










Wild Forest
Decor
Polished



Floor And Walls 7 mm
Wild Forest Decor Polished 60x60 G-1314

Decor 7 mm



60x60
59,55 x 59,55 cm
23.45" x 23.45"
Verify placement of the piece in your installation. The relief has position.
Verificar colocación de la pieza en su instalación. El relieve tiene posición.



Floor & Walls
Polished 6 mm

Polished 7 mm

Decor 7 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59,55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"



60x120
59,55 x 119,3 cm
23.45" x 46.97"



60x60
59,55 x 59,55 cm
23.45" x 23.45"



60x60
59,55 x 59,55 cm
23.45" x 23.45"

Borghini White



Floor and Walls 6 mm	
Borghini White Polished 120X260	G-3467
Borghini White Polished 60X260	G-3467
Borghini White Polished 120X120	G-3467
Floor and Walls 7 mm	
Borghini White Polished 60X120	G-1442
Borghini White Polished 60X60	G-1298








Borghini White Decor Polished



Floor And Walls 7 mm
Borghini White Decor Polished 60x60 G-1314

Decor 7 mm



60x60
59,55 x 59,55 cm
23.45" x 23.45"



Elegance

Floor & Walls
Polished 6 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"

Elegance


Elegance
White
Polished

Elegance White Polished



Block A

Block B



Floor and Walls 6 mm	
Elegance White Polished BL.A 120x260*	G-3495
Elegance White Polished BL.B 120x260*	G-3495

*Elegance White Polished Bookmatch 120x260 block A & block B not sold separately / Los bloques A y B 120x260 de Elegance White Polished Bookmatch no se venden por separado.



Block B

Block A

Block A

Block B

Block B

Block A



Block A

Block A



Statuario

Statuario

Linetops
Natural & Polished 12 mm

Floor & Walls
Natural & Polished 6 mm




162x324
162 x 324 cm
63.8" x 127.6"


* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado



120x260
119,3 x 260,0 cm
46.97" x 102.4"




60x260
59,55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"


Statuario Extra White Bookmatch



Block A

Block B

Linetops 12 mm	
Statuario Extra White Polished BL.A 162x324*	G-3654
Statuario Extra White Polished BL.B 162x324*	G-3654
Statuario Extra White Natural BL.A 162x324*	G-3620
Statuario Extra White Natural BL.B 162x324*	G-3620
Floor and Walls 6 mm	
Statuario Extra White Polished BL.A 120x260*	G-3495
Statuario Extra White Polished BL.B 120x260*	G-3495




*Statuario White Polished Bookmatch 120x260 block A & block B not sold separately / Los bloques A y B 120x260 de Statuario White Polished Bookmatch no se venden por separado.







Statuario Extra White Polished Mix / Natural Mix





Floor and Walls 6 mm		
Statuario Extra White Polished Mix	120x260	G-3467
Statuario Extra White Natural Mix	120x260	G-3413
Statuario Extra White Polished Mix	60x260	G-3467
Statuario Extra White Natural Mix	60x260	G-3413
Statuario Extra White Polished Mix	120x120	G-3467
Statuario Extra White Natural Mix	120x120	G-3413
Walls 6 mm		
Statuario White Polished Prism Decor	120X260	G-2964





Statuario White Polished Prism Decor



Walls 6 mm
Statuario White Polished Prism Decor 120X260 G-2964



Calacatta Lincoln

Linetops
Natural & Polished 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

Linetops 12 mm

Calacatta Lincoln Natural 162x324	G-3620
Calacatta Lincoln Polished 162x324	G-3654

* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado


Calacatta Lincoln





Agata Blue

Linetops
Polished 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

Linetops 12 mm
Agata Blue Polished 162x324 G-3720

* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado

Agata Blue



Instinto

Floor & Walls
Natural 6 mm

Floor & Walls
Natural / Lapato 7 mm

Walls
Rescato 7 mm

Outdoor
20 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59,65 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"




90x90
89,46 x 89,46 cm
35.22" x 35.22"



45x90
44,63 x 89,46 cm
17.57" x 35.22"



45x90
44,63 x 89,46 cm
17.57" x 35.22"



50x100
49,75 x 99,55 cm
19.59" x 39.19"

2 cm

Instinto

Instinto
Taupe
Natural
Lappato
Rescato

Instinto
White
Natural
Lappato
Rescato

Instinto Taupe



Floor and Walls 6 mm		
Instinto Taupe Natural	120X260	G-3365
Instinto Taupe Natural	60X260	G-3365
Instinto Taupe Natural	120X120	G-3365
Floor and Walls 7 mm		
Instinto Taupe Natural	90X90	G-1298
Instinto Taupe Lappato	90X90	G-1330
Instinto Taupe Natural	45X90	G-1202
Instinto Taupe Lappato	45X90	G-1234
Instinto Taupe Rescato	45X90	G-1234
Floor Solid 2 cm		
Instinto Taupe Solid 2 cm	50X100	G-1258






Instinto Taupe Rescato



Walls 7 mm
Instinto Taupe Rescato 45X90 G-1234



Verify placement of the piece in your installation. The relief has position.
Verificar colocación de la pieza en su instalación. El relieve tiene posición.







Instinto White



Floor and Walls 6 mm	
Instinto White Natural 120X260	G-3365
Instinto White Natural 60X260	G-3365
Instinto White Natural 120X120	G-3365
Floor and Walls 7 mm	
Instinto White Natural 90X90	G-1298
Instinto White Lappato 90X90	G-1330
Instinto White Natural 45X90	G-1202
Instinto White Lappato 45X90	G-1234
Instinto White Rescato 45X90	G-1234








Instinto White Rescato



Walls 7 mm
Instinto White Rescato 45X90 G-1234



Verify placement of the piece in your installation. The relief has position.
Verificar colocación de la pieza en su instalación. El relieve tiene posición.



Instinto White Autumn Decor



Block A



Block B

Bookmatch

Walls 6 mm	
Instinto White Autumn Decor BI-A 120X260	G-2961
Instinto White Autumn Decor BI-B 120X260	G-2961





Instinto Natural Mosaico Brick



Instinto Taupe Natural Mosaico Brick G-1942



Instinto White Natural Mosaico Brick G-1942

Mosaico Brick 7 mm

0	+5	0	+5	0	+5	0	+5
+5	0	+5	0	+5	0	+5	0
0	+5	0	+5	0	+5	0	+5
+5	0	+5	0	+5	0	+5	0

30x30
29,75 x 29,75 cm
11.71" x 11.71"



Instinto
Lappato
Flake




Instinto White Lappato Flake G-1708



Instinto Taupe Lappato Flake G-1708

Mosaico Flake 7 mm



25x25
25,09 x 25,09 cm
9.87" x 9.87"



Linetops
Natural 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado

Floor & Walls
Natural 6 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59,55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"

Satin 7 mm



60x120
59,55 x 119,3 cm
23.45" x 46.97"




60x60
59,55 x 59,55 cm
23.45" x 23.45"



30x60
29,75 x 59,55 cm
11.71" x 23.45"



30x60
29,75 x 59,55 cm
11.71" x 23.45"



50x100
49,75 x 99,55 cm
19.59" x 39.19"

Equinox Anthracite Natural / Anthracite Satin



Floor and Walls 6 mm		
Equinox Anthracite Natural 120x260		G-3381
Equinox Anthracite Natural 60x260		G-3381
Equinox Anthracite Natural 120x120		G-3381
Floor and Walls 7 mm		
Equinox Anthracite Satin 60x120		G-1298
Equinox Anthracite Satin 60x60		G-1202
Equinox Anthracite Satin 30x60		G-1180
Non-Slip 7 mm		
Equinox Anthracite Non-Slip 30x60		G-1208
Decor Walls 6 mm		
Equinox Anthracite Diamond Decor 60x260		G-2928
Equinox Anthracite Stripes Decor 60x260		G-2928






Equinox Anthracite
Stripes Decor



Decor Walls 6 mm
Equinox Anthracite Stripes Decor 60X260 G-2928



Equinox Anthracite Diamond Decor



Decor Walls 6 mm
Equinox Anthracite Diamond Decor 60X260 G-2928



Equinox Grey Natural / Grey Satin



Linetops 12 mm		
Equinox Grey Natural Linetops	162x324	G-3520
Floor and Walls 6 mm		
Equinox Grey Natural	120x260	G-3381
Equinox Grey Natural	60x260	G-3381
Equinox Grey Natural	120x120	G-3381
Floor and Walls 7 mm		
Equinox Grey Satin	60x120	G-1282
Equinox Grey Satin	60x60	G-1180
Equinox Grey Satin	30x60	G-1162
Non-Slip 7 mm		
Equinox Grey Non-Slip	30x60	G-1194
Solid 2 CM 20 mm		
Equinox Grey Solid 2 CM	50x100	G-1258









Equinox White Natural / White Satin



Floor and Walls 6 mm		
Equinox White Natural	120x260	G-3381
Equinox White Natural	60x260	G-3381
Equinox White Natural	120x120	G-3381
Floor and Walls 7 mm		
Equinox White Satin	60x120	G-1282
Equinox White Satin	60x60	G-1180
Equinox White Satin	30x60	G-1162





Pietra Grey

Linetops
Natural & Polished 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado

Floor & Walls
Natural & Polished 6 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59.55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"

Pietra Grey

Pietra Grey Polished / Natural



Linetops 12 mm		
Pietra Grey Polished 162x324		G-3616
Pietra Grey Natural 162x324		G-3590
Floor and Walls 6 mm		
Pietra Grey Polished 120x260		G-3459
Pietra Grey Natural 120x260		G-3397
Pietra Grey Polished 60x260		G-3459
Pietra Grey Natural 60x260		G-3397
Pietra Grey Polished 120x120		G-3459
Pietra Grey Natural 120x120		G-3397
Walls Decor 6 mm		
Pietra Grey Polished Leaves Decor 60x260		G-2930







Pietra Grey Polished Leaves Decor



Decor Walls 6 mm
Pietra Grey Polished Leaves Decor 60X260 G-2930



Pietra Grey Polished Leaves Decor 60x260 & Juhoon Beige Natural 30x260 229






St. Vincent

St. Vincent


Linetops
Natural & Polished 12mm

Floor & Walls
Natural & Polished 6 mm


Outdoor
20 mm




162x324
162 x 324 cm
63.8" x 127.6"
* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado




120x260
119,3 x 260,0 cm
46.97" x 102.4"



60x260
59.55 x 260,0 cm
23.45" x 102.4"



120x120
119,3 x 119,3 cm
46.97" x 46.97"



50x100
49,75 x 99,55 cm
19.59" x 39.19"

2 cm

St. Vincent Anthracite Polished / Anthracite Natural



<u>Linetops 12 mm</u>		
St. Vincent Anthracite Polished 162x324		G-3616
St. Vincent Anthracite Natural 162x324		G-3590
<u>Floor and Walls 6 mm</u>		
St. Vincent Anthracite Polished 120x260		G-3451
St. Vincent Anthracite Natural 120x260		G-3381
St. Vincent Anthracite Polished 60x260		G-3451
St. Vincent Anthracite Natural 60x260		G-3381
St. Vincent Anthracite Polished 120x120		G-3451
St. Vincent Anthracite Natural 120x120		G-3381
<u>Solid 2 CM 20 mm</u>		
St. Vincent Anthracite Solid 2 CM 50x100		G-1258









Junoon

Floor & Walls
Natural 6 mm

Outdoor
20 mm



120x260
119,3 x 260,0 cm
46.97" x 102.4"



30x260
29,75 x 260,0 cm
11.81" x 102.4"



50x100
49,75 x 99,55 cm
19.59" x 39.19"

2 cm

Junoon

Junoon
Beige
Natural

Junoon
Maple
Natural

Junoon
Brown
Natural

Junoon Beige Natural



Floor and Walls 6 mm	
Junoon Beige Natural 120x260	G-3391
Junoon Beige Natural 30x260	G-3371
Solid 2 CM 20 mm	
Junoon Beige Solid 2 CM 50x100	G-1258





Junoon Maple Natural



Floor and Walls 6 mm	
Junoon Maple Natural 120x260	G-3391
Junoon Maple Natural 30x260	G-3371
Solid 2 CM 20 mm	
Junoon Maple Solid 2 CM 50x100	G-1258







Junoon Brown Natural




Floor and Walls 6 mm	
Junoon Brown Natural 120x260	G-3391
Junoon Brown Natural 30x260	G-3371



Super White

Super White

Linetops
Natural & Polished 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

Linetops 12 mm


Super White Natural 162x324	G-3666
Super White Polished 162x324	G-3690

* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado



Super Black

Linetops
Natural 12 mm



162x324
162 x 324 cm
63.8" x 127.6"

Linetops 12 mm
Super Black Natural 162x324 G-3666


* 162x324 Linetops are in full size pieces non rectified
* 162x324 Linetops no está rectificado

Super Black




Washbasins - Lavabos

Available in all LINETOPS 12 mm series
Disponible en todas las series LINETOPS 12 mm.




BASIC (all sides drain) L 80/120/180 cm x W 45 cm x H 12 cm					
L - 80		L - 120		L - 180	
Nat	Pol	Nat	Pol	Nat	Pol
G-2976	G-2982	G-2976	G-2982	G-2980	G-2986






SIMPLE (one side drain) L 80/120/180 cm x W 45 cm x H 12 cm					
L - 80		L - 120		L - 180	
Nat	Pol	Nat	Pol	Nat	Pol
G-2978	G-2984	G-2978	G-2984	G-2982	G-2988





BLOCK (all sides drain) L 80/120/180 cm x W 45 cm x H 12 cm					
L - 100		L - 120		L - 180	
Nat	Pol	Nat	Pol	Nat	Pol
G-2980	G-2986	G-2984	G-2990	G-2988	G-2994






NIAGARA (one side drain) L 180 cm x W 50 cm x H 12 cm	
L - 180	
Nat	Pol
G-2988	G-2994




FREE STANDING (all sides drain) L 45 cm x W 45 cm x H 90 cm	
L - 45	
Nat	Pol
G-2976	G-2982







Steps - Peldaños

Steps 260 cm
Peldaños 260 cm







Gradone 30
Gradone 260
Gradone ángulo
Gradone 30x260 Polished
Gradone 30x260 Natural
G-2883
G-2875






Peldaño 30
Peldaño 260
Peldaño ángulo
Peldaño 30x260 Polished
Peldaño 30x260 Natural
G-2849
G-2839

Steps 130 cm
Peldaños 130 cm






Gradone 30x130 Polished
Gradone 30x130 Natural
G-2761
G-2741
Gradone 30
Gradone 130
Gradone ángulo
Peldaño 30x130 Polished
Peldaño 30x130 Natural
G-2677
G-2651
Peldaño 30
Peldaño 130
Peldaño ángulo


Ventilated facades

Fachadas ventiladas

System parts
Partes del sistema



Placement
Colocación del sistema



System components
Componentes del sistema



1-Angular load anchors 60-160 mm
Escuadras de carga 60-160 mm




2-Angular support anchors 60-160 mm
Escuadras de apoyo 60-160 mm




3-ALFA fasteners
Grapas ALFA

Visible clip fasteners detail
Detalle de grapas visible













Hidden clip fastener detail
Detalle de grapas invisible



- 1.Apvisa Slabs 120x260x0,65 cm
- 2.Loading square (60+40) 80x3 / Escuadra de carga (60+40) 80x3
- 3.Support bracket (60+40) 46x3 / Escuadra de apoyo (60+40) 46x3
- 4.Staple Alpha continuaton / Grapa ALFA continuación
5. Staple Alpha start-finish / Grapa ALFA inicio-remate
- 6.Epsilon profile "T 100 60"/ Perfil Epsilon "T 100 60"
7. Fixation / Fijación
8. Wrought / Forjado
9. Epsilon Profile "L 50 60" / Perfil Epsilon "L 50 60"
10. Self-drilling 5,5x25 / Autotaladrante 5,5 x 25
11. Detail meshed / Detalle de malla

Handling

Manipulación



Packing Linetop 12mm

Embalaje para Linetop 12mm



Bundle

Sizes Formatos	Real size Formato real	Bundle sizes Medidas bundle	Pieces Piezas	m²	SF	Kg/m²	Total (Kg)
162x324 64"x128"	162x324 63.8"x127.6"	27x324x162 cm - 11" x 128" x 64"	20	104,98	1129,99	32,75	3488 Kg



A-frame / Caballete

Sizes Formatos	A-frame sizes Medidas caballete	Pieces Piezas	m²	SF	Kg/m²	Peso Total
162x324 64"x128"	75 x 330 x 200 cm - 30" x 130" x 79"	16	83,98	903,95	32,75	2900 Kg

Packing Slabs 6 mm

Embalaje Slabs 6 mm

A-frame / Caballete


Sizes Formatos	A-frame sizes Medidas caballete	Pieces Piezas	m²	SF	Kg/m²	Peso Total
120x260 48"x102"	75 x 270 x 157 cm - 30" x 107" x 62"	40	124,07	1335.48	16,35	2150 Kg

APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.

Packing Slabs 6 mm


Embalaje Slabs 6 mm



7 levels
7 niveles

Crate / caja madera


Sizes Formatos	Real size Formato real	Crate sizes Medidas de caja	Pieces Piezas	m²	SF	Kg/m	Total (Kg)
160x320 63"x126"	160x320 62.99"x125.98"	175 x 340 x 38 cm 68.89" x 133.85" x 14.96"	14	71,68	771,56	14,45	1.180 Kg
120x260 48"x102"	129,3x260 46.97"x102.4"	140 x 280 x 27 cm 55" x 110" x 10"	17	52,73	567.59	16,35	926 Kg
60x260 23"x102"	59,55x260 23.45"x102.4"	140 x 280 x27 cm 55" x 110" x 10"	34	52,64	566.64	16,35	926 Kg
160x160 63"x63"	160x160 62.99"x62.99"	175 x 183 x 41 cm 68.89"x 72.04"x 16.14"	24	61,44	661,34	14,45	975 Kg



4 levels
4 niveles

Pallet / palet

Sizes Formatos	Real size Formato real	Pallet sizes Medidas de palet	Boxes Cajas	Pieces Piezas	m²	SF	Kg/m	Total (Kg)
80x160 31.49"x62.99"	80x160 cm 31.49"x62.99"	90 x 175 x 50 cm 35.43"x 68.89"x 19.68"	34	34	43,52	468,44	14,45	700 Kg
120x120 48"x48"	119,3x119,3 cm 46.97"x 46.97"	130 x 130 x 50 cm 51" x 51" x 20"	32	32	45,54	490.23	16,35	793 Kg
60x120 23,62" x 47,24"	59,55x119,3 cm 23.45"x46.97"	120 x 80 x 110 cm 47.24" x 31.49" x 43.30"	30	2	42,63	458,83	17,59	746 Kg
50x100 19,68" x 39,37"	49,75x99,55 cm 19.59"x39.19"	105 x 105 x 62 cm 41.33" x 41.33" x 24.40"	36	1	17,83	191,91	47,64	849,38 Kg
90x90 35,43" x35,43"	89,46x89,46 cm 35.22"x 35.22"	100 x 95 x 60 cm 39.37" x 37.40" x 23,62"	20	2	32,01	344,58	17,07	546 Kg
45x90 17,716" x35,43"	44,63x89,46 cm 17.57"x35.22"	120 x 100 x 60 cm 48" x 39,37" x 23,62"	27	5	53,90	580,18	17,62	950 Kg
60x60 23,62" x 23,62"	59,55x59,55 cm 23.45"x 23.45"	120 x 80 x 80 cm 48" x 31,49" x 31,49"	30	5	53,19	572,56	17,28	920 Kg
30x60 11.81" x 23,62"	29.75x59.55 cm 11.71" x 23.45"	120 x 80 x 80 cm 48" x 31,49" x 31,49"	40	8	56,69	610,22	17,07	968 kg



4 levels
4 niveles

30x260 packed with carton box.
30x260 embalado con caja de cartón.

Pallet / palet



Sizes Formatos	Real size Formato real	Pallet sizes Medidas de palet	Boxes Cajas	Pieces Piezas	m²	SF	Kg/m	Total (Kg)
30x260 11,81"x 102,36"	29,75x260 cm 11.81"x102.4"	75 x 262 x 50 cm 29.52"x103,15"x19.68"	32	64	49,50	532,86	16,35	885,7 Kg
60x260 Decor 23"x102"	59,55x260 23.45"x102.4"	75 x 262 x 50 cm 29.52"x103,15"x19.68"	15	1	23,22	249,98	16,34	444,62 Kg

APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L.

Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catalogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.


Anti-Slip Values

Valores antideslizamiento

Reference / Referencia	Values / Valores
 Equinox Anthracite	Natural DIN R10 CLASS B DCOF >0,42 PTV >36 CLASE 1 Satin DIN R10 DCOF >0,42 CLASE 1 Non-Slip DIN R11 CLASS C DCOF >0,42 CLASE 3
 Equinox Grey	Natural DIN R10 CLASS B DCOF >0,42 PTV >36 CLASE 1 Satin DIN R10 DCOF >0,42 CLASE 1 Non-Slip DIN R11 CLASS C DCOF >0,42 CLASE 3 Solid 2 cm DIN R11 CLASS C PTV >36 CLASE 3
 Equinox White	Natural DIN R10 CLASS B DCOF >0,42 PTV >36 CLASE 1 Satin DIN R10 DCOF >0,42 CLASE 1
 Instinto taupe	Natural DIN R10 DCOF >0,42 PTV >36 CLASE 1 Lappato & Non-Slip DIN R10 DCOF >0,42 PTV >36 CLASE 2 Solid 2cm DIN R11 CLASS C PTV >36 CLASE 3 Rescato DIN R10 DCOF >0,42 PTV >36 CLASE 1
 Instinto white	Natural DIN R10 DCOF >0,42 CLASE 1 PTV >36 Lappato DIN R10 DCOF >0,42 PTV >36 CLASE 2 Non-Slip DIN R10 DCOF >0,42 PTV >36 CLASE 3 Rescato DIN R10 DCOF >0,42 PTV >36 CLASE 1
 Junoon Beige	Natural DIN R10 DCOF >0,42 PTV >36 CLASE 1 Solid 2 cm DIN R11 CLASS C PTV >36 CLASE 3
 Junoon Brown	Natural DIN R10 DCOF >0,42 PTV >36 CLASE 1

APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.

Reference / Referencia	Values / Valores
 Junoon Maple	Natural DIN R10 DCOF >0,42 PTV >36 CLASE 1 Solid 2 cm DIN R11 CLASS C PTV >36 CLASE 3
 Pietra Grey	Natural DIN R10 DCOF >0,42 PTV >24 CLASE 1
 St. Vincent Anthracite	Natural DIN R10 DCOF >0,42 PTV >36 CLASE 2 Solid 2 cm DIN R11 CLASS C PTV >36 CLASE 3
 Statuario Extra White M	Natural DIN R9 DCOF >0,42 PTV <24 CLASE 1
 Tattoo Black	Decor DIN R10 DCOF >0,42 PTV >24 CLASE 1 Non-Slip DCOF >0,42 DIN R11 CLASS C CLASE 3 Solid 2 cm DIN R11 CLASS C PTV >36 CLASE 3
 Tattoo Oxidum	Decor DIN R10 DCOF >0,42 PTV >24 CLASE 1
 Tattoo White	Natural DIN R10 CLASS B DCOF >0,42 PTV >36 CLASE 1 Satin DIN R10 DCOF >0,42 CLASE 1 Non-Slip DIN R11 CLASS C DCOF >0,42 CLASE 3

APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L. Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catalogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.

Specs
Características

Polished / Pulido

TECHNICAL CHARACTERISTICS CARACTERÍSTICAS TÉCNICAS	STANDARD TEST METHOD MÉTODO DE LA NORMA	STANDARD PRESCRIBED VALUES VALOR PRESCRITO POR LA NORMA	SLABS VALUE VALOR SLABS
MEASUREMENTS SURFACE APPEARANCE / DIMENSIONES Y ASPECTO SUPERFICIAL			
 NOMINAL THICKNESS/ ESPESOR NOMINAL			6,5mm - 1/4"
 LENGTH AND WIDTH / LONGITUD Y ANCHURA	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.1 %
 THICKNESS / ESPESOR	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 2.0 %
 ORTHOGONALITY / ORTOGONALIDAD	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
 SURFACE FLATNESS / PLANITUD DE SUPERFICIE	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
PHYSICAL PROPERTIES / PROPIEDADES FÍSICAS			
 WATER ABSORPTION / ABSORCIÓN DE AGUA	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
 BENDING RESISTANCE / RESISTENCIA A LA FLEXIÓN	UNE - EN ISO 10545 - 4	> 35 N/mm²	>50 N/mm²
 BREAKING STRENGTH / FUERZA DE ROTURA	UNE - EN ISO 10545 - 4	> 700 N	>2000 N
 RESISTANCE TO DEEP ABRASION / RESISTENCIA A LA ABRASIÓN PROFUNDA	UNE - EN ISO 10545 - 6	< 175 mm³	<170mm³
 TEMPERATURE SHOCK RESISTANCE / RESISTENCIA A LA CHOQUE TERMICO	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS O ROTURAS VISIBLES	Resistant / Resistente
 RESISTANCE TO COLD / RESISTENCIA A LA HELADA	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS VISIBLES	ANTI-ICE / Antihielo
 ANTI-SLIP / ANTIDESLIZAMIENTO	DIN 51130	-	-
	DIN 51097	-	-
	UNE - ENV 12633	-	-
	ASTM C 1028-96	-	-
	BS EN 13036-4	-	-
 COLOUR RESISTANCE TO LIGHT / RESISTENCIA DEL COLOR A LA LUZ	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS NO DEBE PRESENTAR VARIACIONES DE COLOR	NO ALTERATIONS
CHEMICAL PROPERTIES / PROPIEDADES QUÍMICAS			
 CHEMICAL RESISTANCE / RESISTENCIA QUÍMICA	UNE - EN ISO 10545 - 13	RESISTANCE TO CHEMICAL PRODUCTS	Min. ULB /UHB
 RESISTANCE TO STAINING / RESISTENCIA A LAS MANCHAS	UNE - EN ISO 10545 - 14	>3 RESISTENCIA A PRODUCTOS QUÍMICOS	4

General information / Información general

Recommended information

All products receive a protective coating to prevent possible attacks during their placement in the implementation process at work. This protection should be completely removed resulting in clean material. Please consult our commercial network if you have any questions regarding recommended cleaning for our products.

Información recomendada

Todos los productos llevan una aplicación protectora para evitar posibles agresiones durante su colocación en el proceso de ejecución de la obra. Esta aplicación debe eliminarse completamente para conseguir una limpieza óptima del material. Consulte con nuestra red comercial cualquier duda acerca de las recomendaciones de limpieza de nuestro producto.

Information reommandée

Tous nos produits viennent avec une pellicule protectrice pour éviter les éventuelles agressions lors de la pose du matériel sur chantier. Cette protection doit être complètement éliminée pour obtenir un nettoyage optimum des carreaux. Veuillez consulter auprès de notre réseau commercial pour toute demande sur les recommandation de nettoyage de nos produits.

Empfohlene information

Alle Produkte sind mit einer Schutzschicht versehen um mögliche Angriffe während der Verlegung und Verarbeitung zu vermeiden. Diese Schutzschicht muss vollständig entfernt werden um eine optimale Reinigung des Materials zu erzielen. Bei Fragen zur Reinigungsempfehlung unserer Produkte wenden sie sich bitte an unser Händlernetz.

Specs
Características

Natural

TECHNICAL CHARACTERISTICS CARACTERÍSTICAS TÉCNICAS	STANDARD TEST METHOD MÉTODO DE LA NORMA	STANDARD PRESCRIBED VALUES VALOR PRESCRITO POR LA NORMA	SLABS VALUE VALOR SLABS
MEASUREMENTS SURFACE APPEARANCE / DIMENSIONES Y ASPECTO SUPERFICIAL			
 NOMINAL THICKNESS/ ESPESOR NOMINAL			6,5mm - 1/4"
 LENGTH AND WIDTH / LONGITUD Y ANCHURA	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.1 %
 THICKNESS / ESPESOR	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 2.0 %
 ORTHOGONALITY / ORTOGONALIDAD	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
 SURFACE FLATNESS / PLANITUD DE SUPERFICIE	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
PHYSICAL PROPERTIES / PROPIEDADES FÍSICAS			
 WATER ABSORPTION / ABSORCIÓN DE AGUA	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
 BENDING RESISTANCE / RESISTENCIA A LA FLEXIÓN	UNE - EN ISO 10545 - 4	> 35 N/mm²	>50 N/mm²
 BREAKING STRENGTH / FUERZA DE ROTURA	UNE - EN ISO 10545 - 4	> 700 N	>2000 N
 RESISTANCE TO DEEP ABRASION / RESISTENCIA A LA ABRASIÓN PROFUNDA	UNE - EN ISO 10545 - 6	< 175 mm³	<170mm³
 TEMPERATURE SHOCK RESISTANCE / RESISTENCIA A LA CHOQUE TERMICO	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS O ROTURAS VISIBLES	Resistant / Resistente
 RESISTANCE TO COLD / RESISTENCIA A LA HELADA	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS VISIBLES	ANTI-ICE / Antihielo
 ANTI-SLIP / ANTIDESLIZAMIENTO	DIN 51130	-	See table / Ver tabla*
	DIN 51097	-	-
	UNE - ENV 12633	-	-
	ANSI A137.1 S-9-6-1	-	>0,42
	BS EN 13036-4	-	-
 COLOUR RESISTANCE TO LIGHT / RESISTENCIA DEL COLOR A LA LUZ	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS NO DEBE PRESENTAR VARIACIONES DE COLOR	NO ALTERATIONS
CHEMICAL PROPERTIES / PROPIEDADES QUÍMICAS			
 CHEMICAL RESISTANCE / RESISTENCIA QUÍMICA	UNE - EN ISO 10545 - 13	RESISTANCE TO CHEMICAL PRODUCTS	Min. ULB /UHB
 RESISTANCE TO STAINING / RESISTENCIA A LAS MANCHAS	UNE - EN ISO 10545 - 14	>3 RESISTENCIA A PRODUCTOS QUÍMICOS	4

*See Anti-Slip Values table - pages 114-115
*Ver tabla de valores Anti-Slip - páginas 114-115

Tests for polished finish characteristics done in Statuario White Polished 120x260. Average test result value on March 2017. Consult specific product test result value before supplying. Pruebas para las características del acabado pulido realizadas sobre el producto Statuario White Polished 120x260. Valor de media a fecha de Marzo 2017. Consultar valor de un producto específico antes del suministro.

Tests for natural finish characteristics done in Tattoo Oxidum Decor 120x260. Average test result value on March 2017. Consult specific product test result value before supplying. Pruebas para las características del acabado natural realizadas sobre el producto Tattoo Oxidum Decor 120x260. Valor de media a fecha de Marzo 2017. Consultar valor de un producto específico antes del suministro.



Statuario White Polished



Tattoo Oxidum Decor

Cleaning & maintenance

Eng

The first cleaning "after installation".

The most important cleaning operation is performed immediately after laying the tiles. This involves the complete removal of residues and dirt from the tile placement. An inadequate or late removal of this waste can create a cementitious layer on the tile capable of absorbing all forms of dirt. This may give the impression that the tile gets dirty when the actual problem resides in the surface film of dirt which was not removed immediately after laying.

Once the grouting of the tiles is finished, it is important, while the grout is still wet, to carefully remove any excess material immediately. This can be done using a sponge and plenty of clean water, repeating this as many times as necessary. Do not perform the cleaning with metal tools, scrapers or abrasive pads. For stubborn stains, clean with alcohol and lukewarm water and rub with a clean cloth. If they do not disappear, check with the relevant technical department. Once the above mentioned washing is done, another washing should be carried out using basic or alkaline degreasing agents, as acid washing can leave stickiness on the pavement which could help retain dirt. In areas where water is calcareous, it is convenient to dry the surface, in order to prevent the deposition of carbonates which will reduce the surfaces' gleam.

Regular maintenance

Many available cleaning products for general use can be used with our products. For daily cleaning, one can use detergents or degreasing products diluted in warm water, following each product's instructions.

It is important that the cleaner does not have oil, animal fat, or soap base. These components may leave an invisible residue whilst absorbing dirt (lime stratifications detergent or residues). It is also important that the tile receives a thorough rinsing with clean water after the cleaning process is complete.

The low water absorption and high standards met by all porcelain tiles ensure a product which is easy to maintain. Our products do not require the use of sealants or waxes. These superficial coatings can really affect the performance of the tile in a negative manner.

It is important to note that hydrofluoric acid (HF) and derivatives can irreparably damage the tile.

The general steps for regular cleaning of our ceramic products can be summarized as follows:

- Remove any solid or liquid waste from the tile, sweeping with a soft bristle broom or vacuuming.

- Clean up liquid spills as soon as possible with lukewarm water.

- Apply the recommended amount and dilution of the cleaner for the tile (follow the cleaner manufacturer's instructions). The wiper must remain in the tile a minimum period of 5 minutes.

- For unpolished tiles, scrub with a nylon sponge or soft bristle brush. A floor machine equipped with a nylon pad or bristle brush can be used for heavily soiled surfaces. For polished tiles, clean with a nonabrasive cloth.

- Remove the dirty cleaning solution and water with a vacuum cleaner or cloth. Rinse the porcelain tile with clean water and remove again with a vacuum cleaner, mop or towel. It is absolutely essential that all detergent residues are removed completely from the tile. Any remaining detergent that dries on the tiles surface can form a coating that can trap dirt and be very difficult to remove. The tile should be rinsed several times to remove all detergent residues.

During use, the cleaning of the tiles should be similar to window cleaning. Ammonia and even bleach type products can be employed, but both must be diluted in water.

In case of special stains and/or particularly resistant, it is advisable to use specific detergents according to the cleaners' manufacturer. Do not forget that removing any type of stain is easier when it is still fresh. It is important to always do a pre-test the detergent products result on a small sample of the porcelain.

Limpieza y mantenimiento

Esp

La primera limpieza "después de la colocación"

La operación de limpieza más importante se lleva a cabo inmediatamente "después de la colocación de la baldosa". Esto implica la eliminación completa de los residuos de lechada y de la suciedad de la colocación de las propias baldosas. Una eliminación inadecuada o tardía de estos residuos puede crear sobre la baldosa una película cementosa capaz de absorber toda forma de suciedad, dando la impresión que se ensucia la baldosa, cuando el problema está en la película superficial de suciedad.

Una vez efectuado el rejuntado de las baldosas, es importante cuando el material de rejuntado todavía está fresco, eliminar el material sobrante cuidadosa e inmediatamente, utilizando para ello una esponja y agua limpia abundante, repitiendo esta operación tantas veces como sea necesario.

No debe realizarse la limpieza del material con espátulas metálicas ni estropajos abrasivos. En el caso de manchas resistentes, limpiar con alcohol y agua caliente y frotar con un paño limpio. Si no desaparecen, consultar con el departamento técnico correspondiente. Una vez efectuado el lavado mencionado arriba, deberá efectuarse un lavado básico o alcalino utilizando detergentes desengrasantes, ya que el lavado ácido puede dejar una untuosidad sobre el pavimento que podría contribuir a retener la suciedad. En aquellas zonas donde el agua sea calcárea conviene secar la superficie para evitar la deposición de carbonatos que disminuyen el brillo superficial.

Mantenimiento regular

Muchos productos de limpieza de uso general que están disponibles son aceptables para el uso en nuestros productos. Se puede emplear para la limpieza diaria detergentes o desengrasantes diluidos en agua caliente, según indicaciones del envase del limpiador. Es importante que el limpiador no tenga base de aceite, grasa animal, o jabón. Estos componentes pueden dejar un residuo invisible al atrapar la suciedad (estratificaciones de cal de detergente o residuos de suciedad). También es importante que la baldosa reciba un enjuague a fondo con agua limpia después que el proceso de limpieza se haya completado.

La densidad inherente y baja absorción de agua de todos los productos aseguran un producto que es fácil de mantener.

No requieren el uso de selladores o ceras. Estos recubrimientos superficiales pueden realmente afectar negativamente el rendimiento de la baldosa.

Es muy importante tener en cuenta que el ácido Fluorhídrico (HF) y derivados pueden dañar irremediablemente la baldosa.

Los pasos generales de limpieza regular para nuestros productos cerámicos se pueden resumir del siguiente modo:

- Retirar cualquier residuo sólido o líquido de la baldosa, barriendo con una escoba de cerdas suaves o pasar la aspiradora.

- Limpiar los derrames líquidos tan pronto como sea posible.

- Aplicar la cantidad y dilución del limpiador recomendadas para la baldosa (ver indicaciones del fabricante del limpiador). El limpiador deberá permanecer en la baldosa un periodo mínimo de tiempo de 5 minutos.

- Para baldosas sin pulir, frotar con una esponja de nylon o un cepillo de cerdas suaves. Para superficies muy sucias puede usarse una máquina de piso equipado con una almohadilla de nylon o con un cepillo de cerdas. Para baldosas pulidas, limpie con un trapo no abrasivo o un paño.

- Retirar la solución de limpieza sucia y el agua con una aspiradora o un trapo. Enjuague la pieza con agua limpia y retire de nuevo con una aspiradora, fregona, o una toalla. Es absolutamente esencial para todos los residuos de detergente que se eliminen por completo de la baldosa. Cualquier resto de detergente que se seque sobre la baldosa puede formar un recubrimiento que puede atrapar la suciedad y será muy difícil de eliminar. La baldosa debe enjuagarse varias veces para eliminar todos los residuos de detergente.

Durante su uso, la limpieza de la baldosa debe hacerse de forma similar a la limpieza de cristales. Se puede emplear productos de tipo amoniacal e incluso lejía, ambos diluidos en agua.

En caso de manchas particulares y/o especialmente resistentes, es aconsejable usar detergentes específicos según especificaciones del fabricante del limpiador. No hay que olvidar que la eliminación de cualquier tipo de mancha resulta más fácil cuando ésta todavía está fresca.

Es importante hacer siempre una prueba previa antes de usar los productos detergentes.



APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.

APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L.

Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catalogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.

slabs

APAVISA

www.apavisa.com

Ctra. Castellón – San Juan de Moró, hm.7,5 - 12130 SAN JUAN DE MORÓ (Castellón) Spain
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195 - info@apavisa.com

